

Alcohol Withdrawal Disorder

Special Guest: Kent Owusu, PharmD, BCCCP, BCPS

Review Articles

Awissa DK, Lebrun G, Fagnan M, et al. Alcohol, nicotine, and iatrogenic withdrawals in the ICU. *Crit Care Med.* 2013; 41(9 Suppl 1): S57-68. <https://pubmed.ncbi.nlm.nih.gov/23989096/>

Carlson RW, Kumar NN, Wong-Mckinstry E, et al. Alcohol withdrawal syndrome. *Crit Care Clin.* 2012; 28(4): 549-585. <https://pubmed.ncbi.nlm.nih.gov/22998991/>

Ferreira JA, Wieruszski PM, Cunningham DW, et al. Approach to the complicated alcohol withdrawal patient. *J Intensive Care Med.* 2017; 32(1) 3-14. <https://pubmed.ncbi.nlm.nih.gov/26518697/>

Dixit D, Endicott J, Burry L, et al. Management of acute alcohol withdrawal syndrome in critically ill patients. *Pharmacotherapy.* 2016; 36(7): 797-822. <https://pubmed.ncbi.nlm.nih.gov/27196747/>

Schmidt KJ, Doshi MR, Holzhausen JM, et al. Treatment of severe alcohol withdrawal. *Ann Pharmacother.* 2016; 50(5): 389-401. <https://pubmed.ncbi.nlm.nih.gov/26861990/>

Farrokh S, Roels C, Owusu KA, et al. Alcohol withdrawal syndrome in neurocritical care unit: assessment and treatment challenges. *Neurocrit Care.* 2020 Aug 13. doi: 10.1007/s12028-020-01061-8. <https://pubmed.ncbi.nlm.nih.gov/32794143/>

Schuckit MA. Recognition and management of withdrawal delirium (delirium tremens). *N Eng J Med.* 2014; 371(22): 2109-2113. <https://pubmed.ncbi.nlm.nih.gov/25427113/>

Linn DD, Loeser KC. Dexmedetomidine for alcohol withdrawal syndrome. *Ann Pharmacother.* 2015; 49(12): 1336-1342. <https://pubmed.ncbi.nlm.nih.gov/26400008/>

Guidelines

Wong J, Saver B, Scanlam JM, et al. The ASAM Clinical Practice Guideline on Alcohol Withdrawal Management. *J Addict Med.* 2020; 14(3S Suppl 1): 1-72. <https://pubmed.ncbi.nlm.nih.gov/32511109/>

Articles Referenced

Fullwood JE, Mostaghimi Z, Granger CB, et al. Alcohol withdrawal prevention: a randomized evaluation of lorazepam and ethanol – a pilot study. *Am J Crit Care*. 2013; 22(5): 398-406. <https://pubmed.ncbi.nlm.nih.gov/23996419/>

Sullivan JT, Sykora K, Schneiderman J, et al. Assessment of alcohol withdrawal: the revised clinical institute withdrawal assessment for alcohol scale (CIWA-Ar). *Br J Addict*. 1989; 84(11): 1353-1357. <https://pubmed.ncbi.nlm.nih.gov/2597811/>

Maldonado JR, Sher Y, Ashouri JF, et al. The "Prediction of Alcohol Withdrawal Severity Scale" (PAWSS): systematic literature review and pilot study of a new scale for the prediction of complicated alcohol withdrawal syndrome. *Alcohol*. 2014; 48(4): 375-390. <https://pubmed.ncbi.nlm.nih.gov/24657098/>

Heavner JJ, Akgün KM, Heavner MS, et al. Implementation of an ICU-specific alcohol withdrawal syndrome management protocol reduces the need for mechanical ventilation. *Pharmacotherapy*. 2018 May 25. doi: 10.1002/phar.2127. Online ahead of print. <https://pubmed.ncbi.nlm.nih.gov/29800507/>

Saitz R, Mayo-Smith MJ, Roberts MS, et al. Individualized treatment for alcohol withdrawal. A randomized double-blind controlled trial. *JAMA*. 1994; 272(7): 519-523. <https://pubmed.ncbi.nlm.nih.gov/8046805/>

Tidwell WP, Thomas TL, Pouliot JD, et al. Treatment of alcohol withdrawal syndrome: Phenobarbital vs CIWA-Ar Protocol. *Am J Crit Care*. 27(6): 454-460. <https://pubmed.ncbi.nlm.nih.gov/30385536/>

Nguyen TA, Lam SW. Phenobarbital and symptom-triggered lorazepam versus lorazepam alone for severe alcohol withdrawal in the intensive care unit. *Alcohol*. 2020; 82: 23-27. <https://pubmed.ncbi.nlm.nih.gov/31326601/>

Mueller SW, Preslaski CR, Kiser TH, et al. A randomized, double-blind, placebo-controlled dose range study of dexmedetomidine as adjunctive therapy for alcohol withdrawal. *Crit Care Med*. 2014; 42(5): 1131-1139. <https://pubmed.ncbi.nlm.nih.gov/24351375/>

Pizon AF, Lynch MJ, Benedict NJ, et al. Adjunct Ketamine Use in the Management of Severe Ethanol Withdrawal. *Crit Care Med*. 2018; 46(8): e768-e771. <https://pubmed.ncbi.nlm.nih.gov/29742583/>

Wong A, Benedict NJ, Armahizer MJ, Kane-Gill SL. Evaluation of adjunctive ketamine to benzodiazepines for management of alcohol withdrawal syndrome. *Ann Pharmacother*. 2015; 49(1): 14-19. <https://pubmed.ncbi.nlm.nih.gov/25325907/>

PHARMACY TO DOSE

THE CRITICAL CARE PODCAST 

Brotherton AL, Hamilton EP, Kloss HG, et al. Propofol for Treatment of Refractory Alcohol Withdrawal Syndrome: A Review of the Literature. *Pharmacotherapy*. 2016; 36(4): 433-442.
<https://pubmed.ncbi.nlm.nih.gov/26893017/>

Leung JG, Hall-Flavin D, Nelson S, et al. The role of gabapentin in the management of alcohol withdrawal and dependence. *Ann Pharmacother*. 2015; 49(8): 897-906.
<https://pubmed.ncbi.nlm.nih.gov/25969570/>

Reoux JP, Saxon AJ, Malte CA, et al. Divalproex sodium in alcohol withdrawal: a randomized double-blind placebo-controlled clinical trial. *Alcohol Clin Exp Res*. 2001; 25(9): 1324-1329.
<https://pubmed.ncbi.nlm.nih.gov/11584152/>