

2021 Surviving Sepsis Campaign Guideline Updates

Special Guests: Carolyn Bell PharmD, BCCCP
and Brittany Bissell, PharmD, PhD, BCCCP, FCCM

Guidelines/Review Articles

Evans L, Rhodes A, Alhazzani W, et al. Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. *Crit Care Med*. 2021; 49: e1063-143.

<https://pubmed.ncbi.nlm.nih.gov/34605781/>

Seymour CW, Liu VX, Iwashyna TJ, et al. Assessment of Clinical Criteria for Sepsis: For the Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*. 2016; 315(8): 762-774. <https://pubmed.ncbi.nlm.nih.gov/26903335/>

Bissell BD, Johnston JP, Smith RR, et al. Gender inequity and sexual harassment in the pharmacy profession: Evidence and call to action. *Am J Health Syst Pharm*. 2021; 78(22): 2059-2076. <https://pubmed.ncbi.nlm.nih.gov/34232286/>

Articles Referenced

Rivers E, Nguyen B, Havstad S, et al. Early goal-directed therapy in the treatment of severe sepsis and septic shock. *N Eng J Med*. 2001; 345(19): 1368-1377.

<https://pubmed.ncbi.nlm.nih.gov/11794169/>

Caironi P, Tognoni G, Masson S, et al. Albumin replacement in patients with severe sepsis or septic shock. *N Eng J Med*. 2014; 370(15): 1412-1421.

<https://pubmed.ncbi.nlm.nih.gov/24635772/>

Gordon AC, Mason AJ, Thirunavukkarasu N, et al. Effect of Early Vasopressin vs Norepinephrine on Kidney Failure in Patients With Septic Shock: The VANISH Randomized Clinical Trial. *JAMA*. 2016; 316(5): 509-518. <https://pubmed.ncbi.nlm.nih.gov/27483065/>

Kumar A, Roberts D, Wood KE, et al. Duration of hypotension before initiation of effective antimicrobial therapy is the critical determinant of survival in human septic shock. *Crit Care Med*. 2006; 34(6): 1589-1596. <https://pubmed.ncbi.nlm.nih.gov/16625125/>



IDSA Sepsis Task Force. Infectious Diseases Society of America (IDSA) POSITION STATEMENT: Why IDSA Did Not Endorse the Surviving Sepsis Campaign Guidelines. *Clin Infect Dis*. 2018; 66(10): 1631-1635. <https://pubmed.ncbi.nlm.nih.gov/29182749/>

Marik PE, Khangoora V, Rivera R, et al. Hydrocortisone, Vitamin C, and Thiamine for the Treatment of Severe Sepsis and Septic Shock: A Retrospective Before-After Study. *Chest*. 2017; 151(6): 1229-1238. <https://pubmed.ncbi.nlm.nih.gov/27940189/>

National Heart, Lung, and Blood Institute PETAL Clinical Trials Network: Moss M, Huang DT, Brower RG, et al. Early Neuromuscular Blockade in the Acute Respiratory Distress Syndrome. *N Eng J Med*. 2019; 380(21): 1997-2008. <https://pubmed.ncbi.nlm.nih.gov/31112383/>