

Blood Pressure in Neurologic Emergencies Part I References

Special Guest: Andrew Webb, PharmD, BCCCP

Guidelines

Powers WJ, Rabinstein AA, Ackerson T, et al. Guidelines for the Early Management of Patients With Acute Ischemic Stroke: 2019 Update to the 2018 Guidelines for the Early Management of Acute Ischemic Stroke: A Guideline for Healthcare Professionals From the American Heart Association/American Stroke Association. *Stroke*. 2019 Dec;50(12):e344-e418.

<https://pubmed.ncbi.nlm.nih.gov/31662037/>

American Heart Association/American Stroke Association. 2022 Guideline for the Management of Patients With Spontaneous Intracerebral Hemorrhage: A Guideline From the American Heart Association/American Stroke Association. *Stroke*. 2022 Jul;53(7):e282-e361.

<https://pubmed.ncbi.nlm.nih.gov/35579034/>

Articles Referenced

Rose JC, Mayer SA. Optimizing blood pressure in neurological emergencies. *Neurocrit Care*. 2004;1(3):287-299. <https://pubmed.ncbi.nlm.nih.gov/16174926/>

Rordorf G, Cramer SC, Efird JT, Schwamm LH, Buonanno F, Koroshetz WJ. Pharmacological Elevation of Blood Pressure in Acute Stroke. *Stroke*. 1997;28(11):2133-2138.

<https://pubmed.ncbi.nlm.nih.gov/9368553/>

Hillis AE, Ulatowski JA, Barker PB, et al. A Pilot Randomized Trial of Induced Blood Pressure Elevation: Effects on Function and Focal Perfusion in Acute and Subacute Stroke.

Cerebrovascular Diseases. 2003;16(3):236-246. <https://pubmed.ncbi.nlm.nih.gov/12865611/>

National Institute of Neurological Disorders and Stroke rt-PA Stroke Study Group. Tissue plasminogen activator for acute ischemic stroke. *N Engl J Med*. 1995 Dec 14;333(24):1581-7.

<https://pubmed.ncbi.nlm.nih.gov/7477192/>

ATACH-2 and NETT investigators. Intensive Blood Pressure Lowering and DWI Lesions in Intracerebral Hemorrhage: Exploratory Analysis of the ATACH-2 Randomized Trial. *Neurocrit Care*. 2022 Feb;36(1):71-81.

<https://pubmed.ncbi.nlm.nih.gov/34292474/>

ICH ADAPT Investigators. The Intracerebral Hemorrhage Acutely Decreasing Arterial Pressure Trial. *Stroke*. 2013 Mar;44(3):620-6. <https://pubmed.ncbi.nlm.nih.gov/23391776/>

Llinas EJ, Max A, Khan S, Marsh EB. The Routine Follow-up Head CT: Is it Still a Necessary Step in the Thrombolysis Pathway? *Neurocrit Care*. 2022;36(2):595-601. <https://pubmed.ncbi.nlm.nih.gov/34580828/>

Donnan A, Davis M, Chambers BR, et al. Streptokinase for Acute Ischemic Stroke With Relationship to Time of Administration. *JAMA*. 1996;276(12):961-966. <https://pubmed.ncbi.nlm.nih.gov/8805730/>

Brott TG, Haley ECJ, Levy DE, et al. Urgent therapy for stroke. Part I. Pilot study of tissue plasminogen activator administered within 90 minutes. *Stroke*. 1992;23(5):632-640. <https://pubmed.ncbi.nlm.nih.gov/1579958/>

del Zoppo GJ, Poeck K, Pessin MS, et al. Recombinant tissue plasminogen activator in acute thrombotic and embolic stroke. *Annals of Neurology*. 1992;32(1):78-86. <https://pubmed.ncbi.nlm.nih.gov/1642475/>

SPOTRIAS Investigators. Intravenous fibrinolysis eligibility: a survey of stroke clinicians' practice patterns and review of the literature. *J Stroke Cerebrovasc Dis*. 2014 Sep;23(8):2130-2138. <https://pubmed.ncbi.nlm.nih.gov/25113084/>

Laloux P, Thijs V, Peeters A, Desfontaines P. Obstacles to the use of intravenous tissue plasminogen activator for acute ischemic stroke. Is time the only barrier? *Acta Neurol Belg*. 2007;107(4):103-107. <https://pubmed.ncbi.nlm.nih.gov/18416282/>

Kleindorfer D, Kissela B, Schneider A, et al. Eligibility for Recombinant Tissue Plasminogen Activator in Acute Ischemic Stroke. *Stroke*. 2004;35(2):e27-e29. <https://pubmed.ncbi.nlm.nih.gov/14739423/>

Australian Streptokinase Trial Investigators. Baseline blood pressure but not early computed tomography changes predicts major hemorrhage after streptokinase in acute ischemic stroke. *Stroke*. 2002 Sep;33(9):2236-42. <https://pubmed.ncbi.nlm.nih.gov/12215593/>

Brott T, Lu M, Kothari R, et al. Hypertension and Its Treatment in the NINDS rt-PA Stroke Trial. *Stroke*. 1998;29(8):1504-1509. <https://pubmed.ncbi.nlm.nih.gov/9707184/>

SITS Investigators. Relationship of blood pressure, antihypertensive therapy, and outcome in ischemic stroke treated with intravenous thrombolysis: retrospective analysis from Safe Implementation of Thrombolysis in Stroke-International Stroke Thrombolysis Register (SITS-ISTR). *Stroke*. 2009 Jul;40(7):2442-9. <https://pubmed.ncbi.nlm.nih.gov/19461022/>

ENCHANTED Investigators and Coordinators. Intensive blood pressure reduction with intravenous thrombolysis therapy for acute ischaemic stroke (ENCHANTED): an international, randomised, open-label, blinded-endpoint, phase 3 trial. *Lancet*. 2019 Mar 2;393(10174):877-888. <https://pubmed.ncbi.nlm.nih.gov/30739745/>

Martin-Schild S, Hallevi H, Albright KC, et al. Aggressive Blood Pressure–Lowering Treatment Before Intravenous Tissue Plasminogen Activator Therapy in Acute Ischemic Stroke. *Archives of Neurology*. 2008;65(9):1174-1178. <https://pubmed.ncbi.nlm.nih.gov/18779419/>

Matusевич M, Cooray C, Bottai M, et al. Blood Pressure After Endovascular Thrombectomy. *Stroke*. 2020;51(2):519-525. <https://pubmed.ncbi.nlm.nih.gov/31822252/>

Anadani M, Orabi MY, Alawieh A, et al. Blood Pressure and Outcome After Mechanical Thrombectomy With Successful Revascularization. *Stroke*. 2019 Sep;50(9):2448-2454. <https://pubmed.ncbi.nlm.nih.gov/31318633/>

ENCHANTED2/MT Investigators. Intensive blood pressure control after endovascular thrombectomy for acute ischaemic stroke (ENCHANTED2/MT): a multicentre, open-label, blinded-endpoint, randomised controlled trial. *Lancet*. 2022 Nov 5;400(10363):1585-1596. <https://pubmed.ncbi.nlm.nih.gov/36341753/>

INTERACT3 Investigators. The third Intensive Care Bundle with Blood Pressure Reduction in Acute Cerebral Haemorrhage Trial (INTERACT3): an international, stepped wedge cluster randomised controlled trial. *Lancet*. 2023 May 24:S0140-6736(23)00806-1. doi: 10.1016/S0140-6736(23)00806-1. Epub ahead of print. <https://pubmed.ncbi.nlm.nih.gov/37245517/>

INTERACT2 Investigators. Rapid blood-pressure lowering in patients with acute intracerebral hemorrhage. *N Engl J Med*. 2013 Jun 20;368(25):2355-65. <https://pubmed.ncbi.nlm.nih.gov/23713578/>

INTERACT Investigators. Intensive blood pressure reduction in acute cerebral haemorrhage trial (INTERACT): a randomised pilot trial. *Lancet Neurol*. 2008 May;7(5):391-9. <https://pubmed.ncbi.nlm.nih.gov/18396107/>

ATACH-2 Trial Investigators and the Neurological Emergency Treatment Trials Network. Intensive Blood-Pressure Lowering in Patients with Acute Cerebral Hemorrhage. *N Engl J Med*. 2016 Sep 15;375(11):1033-43. <https://pubmed.ncbi.nlm.nih.gov/27276234/>

Burgess LG, Goyal N, Jones GM, et al. Evaluation of Acute Kidney Injury and Mortality After Intensive Blood Pressure Control in Patients With Intracerebral Hemorrhage. *Journal of the American Heart Association*. 7(8):e008439. <https://pubmed.ncbi.nlm.nih.gov/29654207/>

Carrera JF, Sorace BJ, Worrall BB, Southerland AM, Chiota-McCollum NA. Delay to Tissue Plasminogen Activator in Hypertensive Stroke Patients: An Analysis of Delay Duration Across



Agents. *J Stroke Cerebrovasc Dis*. 2020 Feb;29(2):104525.

<https://pubmed.ncbi.nlm.nih.gov/31812455/>

Rech MA, Donahey E, DeMott JM, Coles LL, Peksa GD. The impact of antihypertensive use in the treatment of acute ischemic stroke in patients receiving alteplase. *Am J Emerg Med*. 2021 Dec;50:93-96. <https://pubmed.ncbi.nlm.nih.gov/34329955/>

Robba C, Giovannini M, Meyfroidt G, van der Jagt M, Citerio G, Smith M; Collaborators. Intensive Care Admission and Management of Patients With Acute Ischemic Stroke: A Cross-sectional Survey of the European Society of Intensive Care Medicine. *J Neurosurg Anesthesiol*. 2022 Jul 1;34(3):313-320. <https://pubmed.ncbi.nlm.nih.gov/33587531/>

Zhang Y, Reilly KH, Tong W, Xu T, Chen J, Bazzano LA, Qiao D, Ju Z, Chen CS, He J. Blood pressure and clinical outcome among patients with acute stroke in Inner Mongolia, China. *J Hypertens*. 2008 Jul;26(7):1446-52. <https://pubmed.ncbi.nlm.nih.gov/18551022/>