

Amiodarone v. Lidocaine: Versus Series References

Special Guest: Matt Wanat, PharmD, BCPS, BCCCP, FCCM

Out-Of-Hospital Cardiac Arrest

Adult Basic and Advanced Life Support Writing Group. Part 3: Adult Basic and Advanced Life Support: 2020 American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Circulation*. 2020 Oct 20;142(16_suppl_2):S366-S468.

<https://pubmed.ncbi.nlm.nih.gov/33081529/>

Soar J, Böttiger BW, Carli P, et al. European Resuscitation Council Guidelines 2021: Adult advanced life support. *Resuscitation*. 2021 Apr;161:115-151.

<https://pubmed.ncbi.nlm.nih.gov/33773825/>

Kudenchuk PJ, Cobb LA, Copass MK, et al. Amiodarone for resuscitation after out-of-hospital cardiac arrest due to ventricular fibrillation. *N Engl J Med*. 1999 Sep 16;341(12):871-8.

<https://pubmed.ncbi.nlm.nih.gov/10486418/>

Dorian P, Cass D, Schwartz B, et al. Amiodarone as compared with lidocaine for shock-resistant ventricular fibrillation. *N Engl J Med*. 2002 Mar 21;346(12):884-90.

<https://pubmed.ncbi.nlm.nih.gov/11907287/>

Resuscitation Outcomes Consortium Investigators. Amiodarone, Lidocaine, or Placebo in Out-of-Hospital Cardiac Arrest. *N Engl J Med*. 2016 May 5;374(18):1711-22.

<https://pubmed.ncbi.nlm.nih.gov/27043165/>

European Resuscitation Council. European Resuscitation Council Guidelines for Resuscitation: 2018 Update - Antiarrhythmic drugs for cardiac arrest. *Resuscitation*. 2019 Jan;134:99-103.

<https://pubmed.ncbi.nlm.nih.gov/30496838/>

Resuscitation Outcomes Consortium Investigators. Survival After Intravenous Versus Intraosseous Amiodarone, Lidocaine, or Placebo in Out-of-Hospital Shock-Refractory Cardiac Arrest. *Circulation*. 2020 Jan 21;141(3):188-198. <https://pubmed.ncbi.nlm.nih.gov/31941354/>

In-Hospital Cardiac Arrest

Wagner D, Kronick SL, Nawer H, Cranford JA, Bradley SM, Neumar RW. Comparative Effectiveness of Amiodarone and Lidocaine for the Treatment of In-Hospital Cardiac Arrest. *Chest*. 2023 May;163(5):1109-1119. <https://pubmed.ncbi.nlm.nih.gov/36332663/>

Holmberg MJ, Ross CE, Atkins DL, et al; American Heart Association's for the AHA's Get With The Guidelines®-Resuscitation Pediatric Research Task Force. Lidocaine versus amiodarone for pediatric in-hospital cardiac arrest: An observational study. *Resuscitation*. 2020 Apr;149:191-201. <https://pubmed.ncbi.nlm.nih.gov/31954741/>

Refractory Ventricular Arrhythmias

Amio-Aqueous Investigators. Intravenous lidocaine versus intravenous amiodarone (in a new aqueous formulation) for incessant ventricular tachycardia. *Am J Cardiol*. 2002 Oct 15;90(8):853-9. <https://pubmed.ncbi.nlm.nih.gov/12372573/>

PROCAMIO Study Investigators. Randomized comparison of intravenous procainamide vs. intravenous amiodarone for the acute treatment of tolerated wide QRS tachycardia: the PROCAMIO study. *Eur Heart J*. 2017 May 1;38(17):1329-1335. <https://pubmed.ncbi.nlm.nih.gov/27354046/>

Gorenk B, Blomström Lundqvist C, et al. Cardiac arrhythmias in acute coronary syndromes: position paper from the joint EHRA, ACCA, and EAPCI task force. *Europace*. 2014 Nov;16(11):1655-73. <https://pubmed.ncbi.nlm.nih.gov/25172845/>

Kudenchuk PJ, Newell C, White L, Fahrenbruch C, Rea T, Eisenberg M. Prophylactic lidocaine for post resuscitation care of patients with out-of-hospital ventricular fibrillation cardiac arrest. *Resuscitation*. 2013 Nov;84(11):1512-8. <https://pubmed.ncbi.nlm.nih.gov/23743237/>

Al-Khatib SM, Stevenson WG, Ackerman MJ, et al. 2017 AHA/ACC/HRS Guideline for Management of Patients With Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. *J Am Coll Cardiol*. 2018 Oct 2;72(14):e91-e220. <https://pubmed.ncbi.nlm.nih.gov/29097296/>

Zeppenfeld K, Tfelt-Hansen J, de Riva M, et al; ESC Scientific Document Group. 2022 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death. *Eur Heart J*. 2022 Oct 21;43(40):3997-4126. <https://pubmed.ncbi.nlm.nih.gov/36017572/>

Potpourri

Optimal Pharmacological Therapy in Cardioverter Defibrillator Patients (OPTIC) Investigators. Comparison of beta-blockers, amiodarone plus beta-blockers, or sotalol for prevention of shocks from implantable cardioverter defibrillators: the OPTIC Study: a randomized trial. *JAMA*. 2006 Jan 11;295(2):165-71. <https://pubmed.ncbi.nlm.nih.gov/16403928/>

Piccini JP, Schulte PJ, Pieper KS, Mehta RH, White HD, Van de Werf F, Ardissino D, Califf RM, Granger CB, Ohman EM, Alexander JH. Antiarrhythmic drug therapy for sustained ventricular arrhythmias complicating acute myocardial infarction. *Crit Care Med*. 2011 Jan;39(1):78-83. <https://pubmed.ncbi.nlm.nih.gov/20959785/>

Ali MU, Fitzpatrick-Lewis D, Kenny M, et al. Effectiveness of antiarrhythmic drugs for shockable cardiac arrest: A systematic review. *Resuscitation*. 2018 Nov;132:63-72. <https://pubmed.ncbi.nlm.nih.gov/30179691/>